## EAST Search History

| Ref<br># | Hits  | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|----------|-------|--|---|---------------------|---------|---------------------|
| S38      | 19282 | 370/229,356,468,395,409,230,252,352.cds.   | US-PCPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/12/02<br>10:51 |
| S39      | 180   | S38 & (((call connection access) near (admission allow<br>\$4 permi\$6 deny denying denial reject\$3)) with<br>((quality adj of adj service) QoS))                   | US-PCPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/12/02<br>10:51 |
| S40      | 63    | S39 and (((voice adj over adj ((internet adj protocol)<br>IP)) voip))  | US-PCPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/12/02<br>10:52 |
| S41      | 11    | S38 & (((call connection access) near (admission allow<br>\$4 permi\$6 deny denying denial reject\$3)) with<br>(bandwidth near4 ((quality adj of adj service) QoS))) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ÖN      | 2008/12/02<br>10:52 |
| S42      | 30    | (((call connection access) near (admission allow\$4 permi\$6 deny denying denial reject\$3)) with (bandwidth near4 ((quality adj of adj service) QoS)))              | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/12/02<br>10:52 |

| S43 | 15670 | (call near (admission setup))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:52 |
|-----|-------|---|---|----|----|---------------------|
| S44 | 251   | S43 & ((determin\$3 measur\$3 monitor\$3) near<br>(bandwidth QoS)) with (path link channel connection)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:53 |
| S45 | 61    | ((estimat\$3 measur\$3 calculat\$3 determin\$3 monitor<br>\$3) near (impact result effect)) with ((chang\$3 switch<br>\$3 select\$3) near3 (codec encoder decoder)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:53 |
| S46 | 3343  | ((voice adj over adj internet adj protocol) VOIP) and ((call access session) near (admission setup))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:54 |
| S47 | 368   | S46 & ((redirect\$3 divert\$3 bypass\$3) with (path link connection channel))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:54 |
| S48 | 309   | S47 & ((link path connection) with (port interface))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:55 |

| S49 | 238  | S48 & ((link path connection) near3 (port interface))  | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>10:55 |
|-----|------|--|---|----|----|---------------------|
| S50 | 0    | \$49 and (((adjust\$3 chang\$3 modify\$3) near2 (QoS quality)) with (codec encod\$3 cod\$3))   | US-PCPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:12 |
| S51 | 1121 | (((adjust\$3 chang\$3 modify\$3) near2 (QoS quality)) with (codec encod\$3 cod\$3))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:12 |
| S52 | 44   | (((adjust\$3 chang\$3 modify\$3) near2 ((QoS quality) near (metric parameter indicat\$3 variable coefficient value matrix))) with (codec encod\$3 cod\$3)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:30 |
| S53 | 6    | S52 same (threshold limit range upper lower maxim\$3 minim\$3)   | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:33 |
| S54 | 0    | (threshold limit) with (allocated adj bandwidth) near3 (required adj bandwidth)  | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:39 |

| S55  | 24   | (threshold limit) with (((allocated assigned given maxim \$3 available) near (bandwidth rate capacity credit)) near3 ((required estimated needed) near (bandwidth rate capacity credit)))        | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:42 |
|------|------|--|---|----|----|---------------------|
| S56  | 54   | (threshold limit range) with (((allocated assigned given maxim\$3 available) near (bandwidth rate capacity credit)) near3 ((required estimated needed) near (bandwidth rate capacity credit)))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>11:43 |
| S57  | 0    | ((voice adj over adj internet adj protocol) VOIP) and (((determin\$3 calculat\$3 comput\$3) near (bandwidth rate capacity)) with MPLS)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>13:20 |
| \$58 | 1266 | ((voice adj over adj internet adj protocol) VOIP) and (((determin\$3 calculat\$3 comput\$3) near (bandwidth rate capacity)))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>13:21 |
| S59  | 0    | ((voice adj over adj internet adj protocol) VOIP) and (((determin\$3 calculat\$3 comput\$3) near (bandwidth rate capacity)) with (MPLS (different\$4 near service)))                             | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>13:22 |
| S60  | 0    | ((voice adj over adj internet adj protocol) VOIP) and (((determin\$3 calculat\$3 comput\$3) near (bandwidth rate capacity)) with (MPLS (different\$4 near service) (reservation near protocol))) | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>13:23 |

| S61 | 61    | ((voice adj over adj internet adj protocol) VOIP) and (((determin\$3 calculat\$3 comput\$3) near (bandwidth rate capacity)) same (MPLS (different\$4 near service) (reservation near protocol)))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>13:23 |
|-----|-------|--|---|----|----|---------------------|
| S63 | 12117 | ((primary default work\$3 runn\$3) near (link path tunnel line connection channel)) and ((secondary protect\$3 backup redudant failover failsafe) near (link path tunnel line connection channel)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>15:12 |
| S64 | 18    | S63 and ((((switch\$3 fail\$3) adj over) switchover failover) with (congest\$3 ((bandwidth rate) near2 (threshold limit capacity))))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/12/02<br>15:15 |

12/3/2008 11:17:36 AM

 $C: \label{local-condition} C: \label{local-condition} C: \label{local-condition} Documents \ EAST \ Workspaces \ 10776894\_bandwidth\_codec\_change.wsp.$